



Certificate of Analysis
Compliance Test

Client Information:

GEEKD EXTRACTS
1712 Pioneer Ave
Suite 2540
Cheyenne, WY 82001

Batch # SC411
Batch Date: 2024-09-06
Extracted From: Hemp

Test Reg State: Florida

Order # GEE240906-060001
Order Date: 2024-09-06
Sample # AAFX602

Sampling Date: 2024-09-11
Lab Batch Date: 2024-09-11
Completion Date: 2024-09-19

Initial Gross Weight: 47.284 g

Number of Units: 1
Net Weight per Unit: 4000.000 mg



Product Image

Potency 25 (LCUV)

Specimen Weight: 503.790 mg

Tested

SOP13.001 (LCUV)

| Analyte | Dilution (1:n) | LOD (%) | LOQ (%) | Result (mg/g) | Result (%) |
|-----------------------|----------------|---------|---------|---------------|------------|
| Delta-8 THC | 50.000 | 2.60E-5 | 0.015 | 353.8800 | 35.3880 |
| THCA-A | 50.000 | 3.20E-5 | 0.015 | 134.4800 | 13.4480 |
| CBD | 50.000 | 5.40E-5 | 0.015 | 110.3000 | 11.0300 |
| Delta9-THCP * | 5000.000 | 1.17E-5 | 0.012 | 101.5000 | 10.1500 |
| CBG | 50.000 | 2.48E-4 | 0.015 | 64.2300 | 6.4230 |
| 11-Hydroxy THC | 50.000 | 1.30E-5 | 0.015 | 57.5000 | 5.7500 |
| CBN | 50.000 | 1.40E-5 | 0.015 | 28.1800 | 2.8180 |
| CBC | 50.000 | 1.80E-5 | 0.015 | 24.6500 | 2.4650 |
| CBDV | 50.000 | 6.50E-5 | 0.015 | 4.7800 | 0.4780 |
| Delta-8 THCv | 50.000 | 4.00E-5 | 0.015 | 4.6790 | 0.4679 |
| CBT | 50.000 | 2.00E-4 | 0.015 | 3.7110 | 0.3711 |
| CBNA | 50.000 | 9.50E-5 | 0.015 | 3.5270 | 0.3527 |
| Delta8-THCP * | 50.000 | 3.75E-4 | 0.015 | 3.2810 | 0.3281 |
| THCV | 50.000 | 7.00E-6 | 0.015 | 0.8200 | 0.0820 |
| CBL | 50.000 | 3.50E-5 | 0.015 | 0.7470 | 0.0747 |
| THCVA | 50.000 | 4.70E-5 | 0.015 | 0.6538 | 0.0654 |
| CBGA | 50.000 | 8.00E-5 | 0.015 | 0.4200 | 0.0420 |
| CBCA | 50.000 | 1.07E-4 | 0.015 | 0.1862 | 0.0186 |
| CBDA | 50.000 | 1.00E-5 | 0.015 | <LOQ | <LOQ |
| CBDVA | 50.000 | 1.40E-5 | 0.015 | <LOQ | <LOQ |
| Delta-9 THC | 50.000 | 1.30E-5 | 0.015 | <LOQ | <LOQ |
| Delta-8 THC-O Acetate | 50.000 | 2.70E-5 | 0.025 | <LOQ | <LOQ |
| Delta-9 THC-O Acetate | 50.000 | 7.70E-5 | 0.025 | <LOQ | <LOQ |
| Exo-THC | 50.000 | 2.30E-4 | 0.015 | <LOQ | <LOQ |
| THCB * | 50.000 | 1.80E-4 | 0.0163 | <LOQ | <LOQ |
| THCH * | 50.000 | 3.50E-4 | 0.0163 | <LOQ | <LOQ |
| Total Active CBD | 50.000 | | | 110.300 | 11.030 |
| Total Active THC | 50.000 | | | 175.439 | 17.544 |

Potency Summary

| | |
|---|--|
| Total Active THC 17.544% 701.756 mg | Total Active CBD 11.030% 441.200 mg |
| Total CBG 6.460% 258.400 mg | Total CBN 3.127% 125.080 mg |
| Total Cannabinoids 89.753% 3,590.120 mg | Total DELTA-8-THC 35.388% 1415.52 mg |
| Total THCA-A 13.448% 537.92 mg | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCv = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.